


€Carle

611 W. Park St., Urbana, IL 61801 | (217) 383-3311 | carle.org

Carle Health complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-217-383-2543. UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 1-217-326-0340. B1664X-0921

Digestive Health

HOW TO PREPARE FOR YOUR PROCEDURE



Digestive Health Institute Scheduling (217) 383-3309 Patient Advisory, 5 p.m. - 8 a.m. (217) 383-3233

Patient Name:	Procedure:
Doctor:	MRN:
Procedure Date:	Hospital Registration Report Time:

You must have a responsible adult with a cell phone stay in the department during your surgery. They must drive you home.



Here for you.

You have been scheduled for a procedure at Carle Digestive Health Institute. Please review the instructions to get ready for your procedure. If you do not follow these steps, your test could be delayed or canceled.

Driver: The medications used during the procedure will affect your memory and judgment. You will need to have a driver, 18 years or older. Your driver will need to stay with you in the department, drive you home and remain with you for a reasonable period of time. If you don't have a driver with you, your procedure will be rescheduled for another day. You cannot use a taxi or bus unless a responsible person is with you.

Parking: Orchard Street Garage is located directly across the street from main lobby and hospital registration. See Carle map on back of booklet for directions.

Jewelry: Leave jewelry at home. All jewelry, including wedding rings and body piercings must be removed before your procedure.

Pregnancy testing: All female patients, of childbearing age, will be asked to provide a urine sample upon arrival.

Consent to treat: If you are the parent or legal guardian of the patient, you must be available in Digestive Health to sign the consent and speak with the physician on the day of the procedure.

Patient Education Video: You may view a video on how to take the Miralax bowel prep and access other patient education materials at: carle.org/services/digestive-health-patient-instructions or snap a picture of the QR code here.



Insurance: The insurance office will contact you before your procedure to verify information. Wellness screenings are generally covered at 100%, however if screening becomes a medical procedure or polyps (small growths that could turn into cancer) are removed, you may be billed a copay or coinsurance. Insurance questions can be directed to Carle Medical Insurance at (217) 383-3226.

Time of procedure is not set until after 1 p.m. on the business day before your procedure. Digestive Health Scheduling staff will call you the day prior to your procedure to confirm your report time. If you have not heard by 4 p.m., call the Scheduling office at (217) 383-3309.

Report and Procedure Time: Hospital registration report time will be confirmed 1 business day prior to your procedure. Report times are typically 90 minutes before your procedure time. If you have not heard by 4 p.m., call the scheduling office at (217) 383-3309.

Appointment Check-In: On the day of your procedure, start by checking in at hospital registration. Registration is located in the main lobby across from the Orchard Street Parking Garage. Once checked in, you will be directed to Digestive Health.

Medications: Bring a current list of medicine you take, along with the dosage. Include supplements, vitamins and over-the-counter medicine on this list.

Living Will/Power of Attorney for Health Care: Bring a copy of your living will and/or power of attorney for health



SPECIAL CIRCUMSTANCES

Diabetes: If you have been diagnosed with Type 1 or Type 2 diabetes, contact your Primary Care Provider or Endocrinologist for specific instructions to follow. See additional diabetic instruction sheet for details.

Blood Thinners: If you take a prescription blood thinner(s), call your Primary Care Provider or your Anti-Coagulation Management Service (AMS) and tell them you are having a Digestive Health procedure. They may change or stop your medicine before the procedure.

FREQUENTLY ASKED QUESTIONS:

Why can't I drive myself home after my procedure? During your procedure, you will be given medicine to make you sleepy. It takes a while for this medicine to wear off. This would make it dangerous for you to drive home. You can use a taxi or bus to get home if you have someone to travel with you and take you home.

How long will the procedure take?

Plan to be at Carle for 3 - 4 hours. This includes your prep, procedure and recovery time. We will do our best to keep you informed as you move through each area. Actual procedure times vary based on the procedure.

If Bowel Prep is Needed:

For certain procedures, the lining of your bowel needs to be clean. If it is dirty, your doctor may not be able to see things like polyps or cancer. A clean bowel is like looking through a clean windshield. A dirty bowel is like looking through a windshield smeared with mud. If the bowel is dirty, there is a higher risk of complications and you may have to reschedule your procedure.

How does the bowel prep work?

A bowel prep works by giving you diarrhea to empty out your colon. Plan to be at home, near a toilet, when you start your prep. Diarrhea will start 30 minutes to 3 hours once you start your prep. It is normal to feel bloating and mild abdominal discomfort. If you become nauseous or throw up, stop drinking the prep for 30 minutes. Then resume drinking the prep, drinking one 4-ounce glass every 15-20 minutes. Do this until you complete the prep. If you keep vomiting, call Digestive Health (217) 383-3309 during regular business hours. After hours call Carle Patient Advisory at (217) 383-3233.

My prep hasn't started working.

People respond differently to the bowel prep. Some have diarrhea within minutes while others may take an hour or more. If you go three hours without a bowel movement, make sure you are drinking the liquid as instructed. If you correctly drank 32-ounces of prep within 1 hour, keep drinking clear liquids and walk (if able to walk) to increase movement in your bowels.